

## Referencias bibliográficas

1. Gómez-Ríos MA, Gaitini L, Matter I, et al. Guías y algoritmos para el manejo de la vía aérea difícil. *Rev Esp Anesthesiol Reanim.* 2018;65:41-8.
2. Cook TM, Woodall N, Frerk C. Major complications of air-way management in the UK: Results of the Fourth National Audit Project of the Royal College of Anaesthetists and the Difficult Airway Society. Part 1: Anaesthesia. *Br J Anaesth.* 2011;106:617---31
3. Schiff JH, Welker A, Fohr B, et al. Major incidents and complications in other-wise healthy patients undergoing elective procedures: Results based on 1.37 million anaesthetic procedures. *Br J Anaesth.* 2014;113:109---21
4. Woodall N, Frerk C, Cook TM. Can we make airway management (even) safer?-lessons from national audit. *Anaesthesia.* 2011;66 Suppl 2:27---33.8
5. Frerk C, Mitchell VS, McNarry AF, et al. Difficult Airway Society 2015 guidelines for management of unanticipated difficult intubation in adults. *Br J Anaesth.* 2015;115:827---48.
6. Higgs A, McGrath BA, Goddard C, et al. Guidelines for the management of tracheal intubation in critically ill adults. *Br J Anaesth.* 2018;120:323---52
7. Apfelbaum JL, Hagberg CA, Caplan RA, et al. Updated by the Committee on Standards and Practice Parameters; previous update was developed by the American Society of Anesthesiologists Task Force on Difficult Airway Management. Practice guidelines for management of the difficult airway: an updated report by the american society of anesthesiologists task force on management of the difficult airway. *Anesthesiology.* 2013; 118: 251-270.
8. Gupta AK, Ommid M, Nengroo S, et al. Predictors of difficult intubation: Study in Kashmiri population. *Br J Med Practitioners.* 2010; 3:307.
9. Vasudevan A, Badhe A. Predictors of difficult intubation: a simple approach. *The Internet Journal Of Anesthesiology,* 2008; 20.
10. Huitrón Martínez A, Athié García JM, Martínez Rosete VA. Tiempo de intubación entre videolaringoscopios: King Vision vs Vivid Trac. Estudio comparativo. *ACTA MÉDICA GRUPO ÁNGELES.* 2016; 14: 131- 135.

11. Mulcaster JT, Mills J, Hung OR, et al. Laryngoscopic intubation: Learning and performance. *Anesthesiology*. 2003; 98:23-7.
12. Konrad C, Schupfer G, Wietlisbach M. Learning manual skills in anesthesiology: Is there a recommended number of cases for anesthetic procedures? *Anesth Analg*. 1998;86:635-9
13. Cook TM. Strategies for the prevention of airway complications- a narrative review. *Anaesthesia*. 2018;73:93---111.20
14. Liao CC, Liu FC, Li AH. Video laryngoscopy-assisted tracheal intubation in airway management. *Expert Rev Med Devices*. 2018;15:265-75
15. Gómez-Ríos MA, Calvo-Vecino JM. Airway management in a prehospital combat setting. *Am J Emerg Med*. 2018, <http://dx.doi.org/10.1016/j.ajem.2018.06.050>.S0735-6757(18)30529-1.
16. Cooper RM. Use of a new videolaryngoscope (GlideScope) in the management of a difficult airway. *Can J Anaesth*. 2003;50:611-3
17. Russell TM, Hormis A. Should the Glidescope videolaryngoscope be used first line for all oral intubations or only in those with a difficult airway? A review of current literature. *J Perioper Pract*. 2018;28(12):322-333.
18. Paolini JB, Donati F, Drolet P. Review article. Video-laryngoscopy: Another tool for difficult intubation or a new paradigm in airway management? *Can J Anaesth*. 2013; 60:184-91.
19. Maassen R, Lee R, van Zundert A, et al. The videolaryngoscope is less traumatic than the classic laryngoscope for a difficult airway in an obese patient. *J Anesth*. 2009; 23:445-8.
20. Iglesias Gonzalez JL, Gómez-Ríos MA, Poveda Marina JL, y col. Evaluación del videolaringoscopio Airtraq como dispositivo de rescate tras laringoscopia directa difícil. *Rev Esp Anestesiol Reanim*. 2018;65:543-604
21. Lewis SR, Butler AR, Parker J, et al. Videolaryngoscopy versus direct laryngoscopy for adult patients requiring tracheal intubation: A Cochrane Systematic Review. *Br J Anaesth*. 2017;119:369---83.
22. Pieters BMA, Maas EHA, Knape JTA, et al. Video-laryngoscopy vs. direct laryngoscopy use by experienced anaesthetists in patients with known difficult airways: A systematic review and meta-analysis. *Anaesthesia*. 2017;72:1532---41.

23. Liu TT, Li L, Wan L, et al. Videolaryngoscopy vs. Macintosh laryngoscopy for double-lumen tube intubation in thoracic surgery: A systematic review and meta-analysis. *Anaesthesia*. 2018;73:997---1007
24. Frerk C, Mitchell VS, McNarry AF, et al. Difficult Airway Society 2015 guidelines for management of unanticipated difficult intubation in adults. *Br J Anaesth*. 2015;115:827---48.
25. Higgs A, McGrath BA, Goddard C, et al. Guidelines for the management of tracheal intubation in critically ill adults. *Br J Anaesth*. 2018;120:323-52.
26. Langeron O, Bourgain JL, Francon D, et al. Difficult intubation and extubation in adult anaesthesia. *Anaesth Crit Care Pain Med*. 2018, <http://dx.doi.org/10.1016/j.accpm.2018.03.013>. S2352-5568(18)30058-4.
27. Howard-Quijano KJ, Huang YM, Matevosian R, et al. Video-assisted instruction improves the success rate for tracheal intubation by novices. *Br J Anaesth*. 2008;101:568---72.
28. Herbstreit F, Fassbender P, Haberl H, et al. Learning endotracheal intubation using a novel videolaryngoscope. *Anesth Analg* 2011 Sep;113(3):586-90.
29. Zaouter C, Calderon J, Hemmerling TM. Videolaryngoscopy as a new standard of care. *Br J Anaesth*. 2015;114:181---3.
30. Kelly FE, Cook TM. Seeing is believing: getting the best out of videolaryngoscopy. *Br J Anaesth*. 2016;117 Suppl 1:i9---13.13
31. Oh J, Lim T, Chee Y, et al. Videographic analysis of glottic view with increasing cricoid pressure force. *Ann Emerg Med*. 2013;61:407---13.
32. Zaouter C, Calderon J, Hemmerling TM. Videolaryngoscopy as a new standard of care. *Br J Anaesth*. 2015;114:181---3
33. Vaida S, Budde A. Is it time for videolaryngoscopy to be the standard of care? *Minerva Anestesiol*. 2016;82:1---2
34. Cook TM, Kelly FE. A national survey of videolaryngoscopy in the United Kingdom. *Br J Anaesth*. 2017;118:593---600.
35. Moher D, Liberati A, Tetzlaff J, Altman DG, Group P. Preferred reporting items for systematic reviews and meta-analyses: the PRISMA statement. *PLoS Med* 2009; 6:e1000097.

36. Al-Ghamdi AA, El Tahan MR, Khidr AM, et al. Comparison of the Macintosh, GlideScope®, Airtraq®, and King Vision™ laryngoscopes in routine airway management. *Minerva Anesthesiol.* 2016;82(12):1278-1287..
37. Thion LA, Belze O, Fischler M, et al. Comparison of the Ease of Tracheal Intubation Using a McGrath Mac Videolaryngoscope and a Standard Macintosh Laryngoscope in Normal Airways: A Randomised Trial. *Eur J Anaesthesiol.* 2018;35(8):631-633.
38. Wallace CD, Foulds LT, McLeod GA, et al. A comparison of the ease of tracheal intubation using a McGrath MAC(®) laryngoscope and a standard Macintosh laryngoscope. *Anaesthesia.* 2015;70(11):1281-5.
39. Liu DX, Ye Y, Zhu YH, ET AL. Intubation of non-difficult airways using video laryngoscope versus direct laryngoscope: a randomized, parallel-group study. *BMC Anesthesiol.* 2019 15;19(1):75.
40. Hoshijima H, Mihara T, Maruyama K, et al. C-MAC videolaryngoscope versus Macintosh laryngoscope for tracheal intubation: A systematic review and meta-analysis with trial sequential analysis. *J Clin Anesth.* 2018;49:53-62.
41. Ambrosio A, Pfannenstiel T, Bach K, Cornelissen C, Gaconnet C, Brigger MT. Difficult airway management for novice physicians: a randomized trial comparing direct and video-assisted laryngoscopy. *Otolaryngol Head Neck Surg.* 2014;150(5):775–8.
42. Russell KA, Brook CD, Platt MP, et al. The benefits and limitations of targeted training in flexible Transnasal laryngoscopy diagnosis. *JAMA Otolaryngol Head Neck Surg.* 2017;143(7):707–11.
43. Kelly FE, Cook TM. Routine videolaryngoscopy is likely to improve skills needed to use a videolaryngoscope when laryngoscopy is difficult. *Br J Anaesth.* 2017 1;119(4):842-843.
44. Nørskov AK, Rosenstock CV, Wetterslev J, et al. Diagnostic accuracy of anaesthesiologists' prediction of difficult airway management in daily clinical practice: a cohort study of 188 064 patients registered in the Danish Anaesthesia Database. *Anaesthesia* 2015; 70: 272–81
45. Xue FS, Liu GP, Sun C. Videolaryngoscope as a standard intubation device. *Br J Anaesth* 2015; 115: 137–8

46. Zaouter C, Calderon J, Hemmerling TM. Videolaryngoscopy as a new standard of care. *Br J Anaesth* 2015; 114: 181–3